

Porsche-Cayenne-Help File

Basically, there will be 4 parts in the whole help file: Function, Reference, Attention and Operation.

Function

1. Program smart key: to program smart card (please make dealer key first);
2. Make dealer key: use the backed up BIN data to make the non-dedicated key to be dealer key.

Reference

Chip type: Dedicated smart card

Frequency: 315/433/434 frequency (please check the logo in the lower right of the lid of the BCM box)

Key embryo no.: 31

Code requirement: Dismantle & read BCM to make dealer key

Key generation: Program smart key complete, remote will automatically generated

Under the steering wheel (BCM position):



BCM is located at the bottom left of the steering wheel, please note the frequency type, basically there will be 315/433/434,

The following picture is for 434 frequency:



11-15 Cayenne Car Model



The car key



The induction keyhole




The mechanical knob key inserted into the induction keyhole



Attention

1. All the keys need to learn, or it will not be able to start the vehicle, it is recommended to learn the original car keys first, and then learn the new key, battery must be well installed.
2. The newly added key must be either the dealer key made via the car BCM data, or the key ordered back through the VIN code.
3. When learning key, it is required to insert the key into the induction keyhole, to learn a smart key, remove the mechanical rotate key from the induction keyhole if any and then insert the smart key to program.

3. Please refer to the following picture to wire:



Step 2: Copy the bin file into K518ISE: please use the USB cable to connect the K518ISE to the computer, open the device internal memory, find the folder "customfile" and copy the bin file into it (as shows below).

Note: bin file suffix "bin" must be lower case letters, directly put the file into the folder rather than create a new folder:



Step 3: Make dealer key

Step 4: Program smart key